

Kansas Agricultural Experiment Station Research Reports

Volume 2

Issue 4 *Turfgrass Research*

Article 1

July 2016

Release of KSUZ 0802 Zoysiagrass

J. Fry

Kansas State University, jfry@ksu.edu

Ambika Chandra

Texas A&M, AgriLife Research, Dallas, TX, a-chandra@tamu.edu

Follow this and additional works at: <http://newprairiepress.org/kaesrr>



Part of the [Horticulture Commons](#)

Recommended Citation

Fry, J. and Chandra, Ambika (2016) "Release of KSUZ 0802 Zoysiagrass," *Kansas Agricultural Experiment Station Research Reports*: Vol. 2: Iss. 4. <https://doi.org/10.4148/2378-5977.1207>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright July 2016 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. K-State Research and Extension is an equal opportunity provider and employer.



Release of KSUZ 0802 Zoysiagrass

Abstract

A new zoysiagrass cultivar, under the experimental designation KSUZ 0802, was released jointly by the Kansas Agricultural Experiment Station and Texas A&M AgriLife Research in 2015.

Keywords

cultivar development, turfgrass, warm-season grasses

Creative Commons License



This work is licensed under a [Creative Commons Attribution 4.0 License](http://creativecommons.org/licenses/by/4.0/).

TURFGRASS RESEARCH 2016



JULY 2016

K-STATE
Research and Extension

Kansas State University
Agricultural Experiment Station
and Cooperative Extension Service

K-State Research and Extension is an equal
opportunity provider and employer.

Release of KSUZ 0802 Zoysiagrass

Jack D. Fry¹ and Ambika Chandra²

Summary. A new zoysiagrass cultivar, under the experimental designation KSUZ 0802, was released jointly by the Kansas Agricultural Experiment Station and Texas A&M AgriLife Research in 2015.

Rationale. ‘Meyer’ zoysiagrass was released in 1952, and is still widely used in the transition zone due, in large part, to its excellent cold hardiness. However, as good as Meyer is, it has limitations, including a medium-coarse leaf texture and inferior density compared to *Zoysia matrella*-type cultivars. More zoysiagrass cultivar choices would be beneficial to turfgrass managers in the transition zone.

Objective. Develop a new cold hardy, fine-textured zoysiagrass for use in the transition zone.

Study Description. In 2004, researchers at K-State and Texas A&M AgriLife Research-Dallas began working together to develop dense, fine-textured zoysiagrasses that are as cold hardy as Meyer. Eleven years later, the first zoysiagrass from this effort, KSUZ 0802 (a formal name is forthcoming), has been approved for release by K-State, and Texas A&M.

KSUZ 0802 is a fine-textured, cold-tolerant zoysiagrass hybrid co-developed by Texas A&M AgriLife Research, Dallas, TX and the Kansas Agricultural Experiment Station, Manhattan, KS. KSUZ 0802 is a F₁ interspecific hybrid developed in 2001 from a cross between *Z. matrella* (L.) Merr. cv. ‘Cavalier’ and an ecotype of *Z. japonica* Steud. named ‘Anderson 1’, a derivative of ‘Chinese Common’ which was collected from rough areas at Alvarado Golf Course in Lawrence, KS. Cavalier is a high quality *Z. matrella* cultivar, but lacks the hardiness to be used in the upper transition zone.

¹ Department of Horticulture and Natural Resources, Kansas State University, Manhattan, KS

² Department of Soil and Crop Science, Texas A&M AgriLife Research, Dallas, TX

View all turfgrass research reports online at: <http://newprairiepress.org/kaesrr>



By crossing it with Chinese Common, which is cold hardy, we have created a cultivar that has *Z. matrella*-like quality, but with good cold hardiness. KSUZ 0802 must be propagated vegetatively.

Initially, more than 800 individual, genetically different hybrids were developed at Texas A&M AgriLife Research – Dallas in 2001. Grasses were planted in Manhattan, KS in 2004 and evaluated for quality and winter survival between 2004 and 2006. KSUZ 0802 was one of 31 hybrids selected for further evaluation at Manhattan in 2007 and 2008 under golf course conditions. These 31 were later narrowed to 7 hybrids, including KSUZ 0802, which were evaluated at nine locations in the transition zone under typical lawn or golf course fairway management conditions from 2009 to 2012. The locations were Wichita and Manhattan, KS; Columbia, MO; Fletcher and Jackson Springs, NC; Stillwater, OK; Knoxville, TN; Virginia Beach, and Blacksburg, VA; and Dallas, TX.

KSUZ 0802 has repeatedly demonstrated cold hardiness equivalent to Meyer in replicated field plot research (Fig. 1). Following a severe winter in 2013 in Manhattan, KS, KSUZ 0802 and Meyer had >99% survival; conversely, ‘Empire’ (*Z. japonica*) had 78% survival, ‘Zeon’ (*Z. matrella*) had 72% survival, and a large number of experimental *Z. matrella* selections had <50% survival (Thompson et al., 2013). Freezing tolerance studies conducted under controlled conditions at K-State showed that KSUZ 0802 had an LT_{50} (lethal temperature that kills 50% of the tillers) that was statistically similar to Meyer in two consecutive winters (Okeyo et al., 2011). Observed LT_{50} ranged from -8.4 to -10.3 °C (17 to 14 °F) for KSUZ 0802 and from -10.7 to -12.0 °C (13 to 10 °F) for Meyer. Based upon the results from research, KSUZ 0802 can be used as far north as zone 6a on the USDA Plant Hardiness Zone Map (<http://planthardiness.ars.usda.gov/PHZMWeb/>).

Results. In general, KSUZ 0802 has a finer leaf texture and better density relative to Meyer, which results in better overall turf quality (Fig. 2 and 3). Average turf quality of KSUZ 0802 (average rating of 6.1 on a 1 to 9 scale) was higher than Meyer (average rating of 5.5) maintained at lawn height in Wichita, Kansas; Jackson Springs, NC; Stillwater, OK; Dallas, TX; and Blacksburg, VA. At fairway height, quality of KSUZ 0802 (average of 6.9) was superior to Meyer (average of 5.6) at the two locations it was evaluated – Manhattan, KS and Stillwater, OK.

To summarize aforementioned results, and other research that has been done with KSUZ 0802, its freezing tolerance, spring green-up and fall color retention are equivalent to Meyer, but it has a finer leaf texture than Meyer. KSUZ 0802 is also superior to Meyer for turfgrass quality and resistance to bluegrass billbug (*Sphenophorus parvulus*) damage. KSUZ 0802 is well suited for use on golf course fairways and tees, home lawns, and other recreational areas in the transition zone. It is currently under evaluation by sod growers in Kansas, Oklahoma, Texas, Illinois, Indiana, and North

K-STATE
Research and Extension

Kansas State University
Agricultural Experiment Station
and Cooperative Extension Service





Carolina. If you have questions about KSUZ 0802, or interest in producing it, contact either Jack Fry (jfry@ksu.edu) or Ambika Chandra (a-chandra@tamu.edu).

References

- Okeyo, D.O., J. D. Fry, D. J. Bremer, C. B. Rajashekar, M. Kennelly, A. Chandra, A. D. Genovesi, and M. C. Engelke. 2011b. Freezing tolerance and seasonal color of experimental zoysiagrasses. *Crop Sci.* 51:2858-2863.
- Thompson, C., J. Fry, J. Hoyle, and J. Griffin. 2014. Winter survival of the 2013 National Turfgrass Evaluation Program zoysiagrass and bermudagrass entries at Kansas locations. K-State Turfgrass Research. Pub. No. SRP1107. Kansas State University Agricultural Experiment Station.

K-STATE
Research and Extension

Kansas State University
Agricultural Experiment Station
and Cooperative Extension Service





Figure 1. KSUZ 0802 and Meyer are among only a few zoysiagrasses that have no winter injury hardiness in May 2015 at Manhattan, KS.

K-STATE
Research and Extension

Kansas State University
Agricultural Experiment Station
and Cooperative Extension Service





Figure 2. The finer texture and improved density of KSUZ 0802 (bottom) is obvious when compared to Meyer (top).





Figure 3. KSUZ 0802 produces turf with *Z. matrella*-like quality, but cold hardiness equivalent to Meyer.

K-STATE
Research and Extension

Kansas State University
Agricultural Experiment Station
and Cooperative Extension Service

